





































**Ebola preparedness and response**

**IPC Facilities prototype | Technical response: WASH / SHELTER**

Verónica Sánchez Carrera - FEB 2020—[veronicasanchezcarrera@gmail.com](mailto:veronicasanchezcarrera@gmail.com)


# WHAT SHOULD WE DO?


	ISO		ETU	
	ISOLATION UNIT		EBOLA TRATAMENT UNIT	
	Temporal ISO	Permanent ISO	Temporal ETU	Permanent ETU
<b>S</b> 1 – 6 BEDS 	  ISO-S-T	  ISO-S-P	 	 
<b>M</b> 6 – 15 BEDS 	  ISO-M-T	 	  ETU-M-T	  ETU-M-P
<b>L</b> 15– 30 BEDS 	 	 	  ETU-L-T	 
<b>XL</b> 30—60 BEDS 	 	 	  ETU-XL-T	 


## MODELS


 **ISO-S-T**  
ISO  
SMALL  
TEMPORARY  
1 – 6 BEDS  
Developing

 **ISO-S-P**  
ISO  
SMALL  
PERMANENT  
1 – 6 BEDS  
Developing


 **ISO-M-T**  
ISO  
MEDIUM  
TEMPORAL  
6-15 BEDS  
Developing

 **ETU-M-T**  
ETU  
MEDIUM  
TEMPORAL  
6-15 BEDS  
Developing

 **ETU-L-T**  
ETU  
LONG  
TEMPORAL  
15-30 BEDS  
Developing

 **ETU-XL-T**  
ETU  
EXTRA LONG  
TEMPORAL  
30-60 BEDS  
Developing

## HYBRID MODEL

 **ISO to ETU**  
SMALL to LONG  
PERMANENT and TEMPORARY  
1 – 6 BEDS to 30—60 BEDS  
Developed

# WHAT DO WE NEED?


## PREPAREDNESS

### ISO Permanent

6 BEDS SUSPECTED



6 s



CONFIRMED  
CASE



## EXTENSION

### ETU Temporal

30 BEDS SUPECTED +CONFIRMED




+



6 s

24 c



EPIDEMIC  
FINISED



## DISMANTLEMENT

### ISO Permanent

6 BEDS SUPECTED



6 s






# HYBRID MODEL\_ ISOtoETU

## Phases from ISO to ETU

### PREPARADNESS

**PHASE I** ISO  
PERMANENT

4 SUSPECTS



**PHASE II** ISO  
PERMANENT


6 SUSPECTS



### CONFIRMED CASE


**PHASE III** ISO + ETU  
PERMANENT + TEMPORAL

6 SUSPECTS  
12 CONFIRMED



**PHASE IV** ISO + ETU  
PERMANENT + TEMPORAL

6 SUSPECTS  
24 CONFIRMED




### DISMANTELMENT




HYBRID MODEL\_ISOtoETU  
Program

DRAFT






DRAFT





HYBRID MODEL\_ISO-  
toETU



DRAFT




- Staff
- Staff (PPE)
- Patients
- Patients IN

HYBRID MODEL\_ISO-  
toETU

DRAFT




STEP I




STEP II




## HYBRID MODEL\_ ISO- toETU



# HYBRID MODEL\_ ISO- toETU












## HYBRID MODEL\_ ISO- toETU









HYBRID MODEL\_  
Visitors area

DRAFT

